

B4i Version : 7.20
Analyse du code. (0.28s)
Building folders structure. (0.09s)
Compilation du code. (0.17s)
Etablissement de l'application 'designer'. (0.03s)
Etablissement du projet Xcode. (0.46s)
Préparation du projet pour le générateur (0.16s)
Taille du projet: 0.29 MB
Envoi de données au 'Remote Compiler'. Error
Out: Command line invocation:
/Applications/Xcode.app/Contents/Developer/usr/bin/xcodebuild -configuration Release PRODUCT_NAME=B4i-Bridge CONFIGURATION_BUILD_DIR=/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/Payload "CODE_SIGN_IDENTITY=iPhone Distribution: Claude Brun (xxxxxxxxxx)" "OTHER_CODE_SIGN_FLAGS=--keychain <user id>" PROVISIONING_PROFILE=xxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxxxx -arch armv7 -arch arm64

User defaults from command line:
IDEPackageSupportUseBuiltinSCM = YES

Build settings from command line:
ARCHS = armv7 arm64
CODE_SIGN_IDENTITY = iPhone Distribution: Claude Brun (xxxxxxxxxx)
CONFIGURATION_BUILD_DIR = /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/Payload
OTHER_CODE_SIGN_FLAGS = --keychain <user id>
PRODUCT_NAME = B4i-Bridge
PROVISIONING_PROFILE = xxxxxxxxxxx-xxxx-xxxx-xxxx-xxxxxxxxxxxxxx

note: Using new build system
note: Using codesigning identity override: iPhone Distribution: Claude Brun (xxxxxxxxxx)
note: Planning
Analyze workspace

Create build description
Build description signature: 1ea484dfb45b3dc20fe6fcca5db442ab
Build description path: /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/XCBuildData/1ea484dfb45b3dc20fe6fcca5db442ab-desc.xcbuild

note: Build preparation complete
warning: Building targets in manual order is deprecated - check "Parallelize build for command-line builds" in the project editor, or set DISABLE_MANUAL_TARGET_ORDER_BUILD_WARNING in any of the targets in the current build to suppress this warning
CreateBuildDirectory /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build
cd /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/B4iProject.xcodeproj
builtin-create-build-directory /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build

CreateBuildDirectory /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/Payload
cd /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/B4iProject.xcodeproj
builtin-create-build-directory /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/Payload

warning: The armv7 architecture is deprecated for your deployment target (iOS 11.0). You should update your ARCHS build setting to remove the armv7 architecture. (in target 'B4iProject' from project 'B4iProject')

```
warning: Skipping duplicate build file in Copy Bundle Resources build phase:
/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/fr.lproj/InfoPlist.strings (in target
'B4iProject' from project 'B4iProject')
Mkdir /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/Payload/B4i-Bridge.app (in target
'B4iProject' from project 'B4iProject')
cd /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>
/bin/mkdir -p /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/Payload/B4i-Bridge.app
```

```
ProcessProductPackaging /Users/Claude/Library/MobileDevice/Provisioning\ Profiles/def2023.mobileprovision
/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/Payload/B4i-
Bridge.app/embedded.mobileprovision (in target 'B4iProject' from project 'B4iProject')
cd /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>
builtin-productPackagingUtility /Users/Claude/Library/MobileDevice/Provisioning\
Profiles/def2023.mobileprovision -o /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user
id>/Payload/B4i-Bridge.app/embedded.mobileprovision
```

```
WriteAuxiliaryFile /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user
id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/DerivedSources/Entitlements.plist (in target 'B4iProject'
from project 'B4iProject')
cd /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>
write-file /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user
id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/DerivedSources/Entitlements.plist
```

```
ProcessProductPackaging /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/B4i.entitlements
/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-
iphoneos/B4iProject.build/B4i-Bridge.app.xcent (in target 'B4iProject' from project 'B4iProject')
cd /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>
```

Entitlements:

```
{
"application-identifier" = "xxxxxxxxxx.com.baguier.<user id>.app.bridge";
"com.apple.developer.team-identifier" = xxxxxxxxxxxx;
"get-task-allow" = 0;
}
```

```
builtin-productPackagingUtility /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user
id>/B4i.entitlements -entitlements -format xml -o
/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-
iphoneos/B4iProject.build/B4i-Bridge.app.xcent
```

```
WriteAuxiliaryFile /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user
id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/all-product-headers.yaml (in target 'B4iProject' from
project 'B4iProject')
cd /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>
write-file /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user
id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/all-product-headers.yaml
```

```
WriteAuxiliaryFile /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user
id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/B4i-Bridge.hmap (in target 'B4iProject' from project
'B4iProject')
cd /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>
```

```
write-file /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/B4i-Bridge.hmap
```

```
WriteAuxiliaryFile /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/B4i-Bridge-own-target-headers.hmap (in target 'B4iProject' from project 'B4iProject')
```

```
cd /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>  
write-file /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/B4i-Bridge-own-target-headers.hmap
```

```
WriteAuxiliaryFile /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/B4i-Bridge-project-headers.hmap (in target 'B4iProject' from project 'B4iProject')
```

```
cd /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>  
write-file /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/B4i-Bridge-project-headers.hmap
```

```
WriteAuxiliaryFile /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/B4i-Bridge-all-target-headers.hmap (in target 'B4iProject' from project 'B4iProject')
```

```
cd /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>  
write-file /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/B4i-Bridge-all-target-headers.hmap
```

```
WriteAuxiliaryFile /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/B4i-Bridge-generated-files.hmap (in target 'B4iProject' from project 'B4iProject')
```

```
cd /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>  
write-file /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/B4i-Bridge-generated-files.hmap
```

```
WriteAuxiliaryFile /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/B4i-Bridge-all-non-framework-target-headers.hmap (in target 'B4iProject' from project 'B4iProject')
```

```
cd /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>  
write-file /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/B4i-Bridge-all-non-framework-target-headers.hmap
```

```
CompileC /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/Objects-normal/armv7/main.o
```

```
/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/B4iProject/main.m normal armv7 objective-c com.apple.compilers.llvm.clang.1_0.compiler (in target 'B4iProject' from project 'B4iProject')
```

```
cd /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>  
export LANG=en_US.US-ASCII
```

```
/Applications/Xcode.app/Contents/Developer/Toolchains/XcodeDefault.xctoolchain/usr/bin/clang -x objective-c -target armv7-apple-ios11.0 -fmessage-length=0 -fdiagnostics-show-note-include-stack -fmacro-backtrace-limit=0 -std=gnu99 -fobjc-arc -fmodules -gmodules -fmodules-prune-interval=86400 -fmodules-prune-after=345600 -fbuild-session-file=/var/folders/wf/xqxb4gls28bdcm7j2gptggq40000gn/C/org.llvm.clang/ModuleCache.noindex/Session.modulevalidation -fmodules-validate-once-per-build-session -Wnon-modular-include-in-framework-module -Werror=non-modular-include-in-framework-module -Wno-trigraphs -fpascal-strings -O0 -Wno-missing-field-initializers -Wno-missing-prototypes -Werror=return-type -Wno-implicit-atomic-properties -Werror=deprecated-objc-isa-usage -Wno-
```

```
objc-interface-ivars -Werror\=objc-root-class -Wno-arc-repeated-use-of-weak -Wduplicate-method-match -Wno-missing-braces -Wparentheses -Wswitch -Wunused-function -Wno-unused-label -Wno-unused-parameter -Wunused-variable -Wunused-value -Wempty-body -Wuninitialized -Wconditional-uninitialized -Wno-unknown-pragmas -Wno-shadow -Wno-four-char-constants -Wno-conversion -Wconstant-conversion -Wint-conversion -Wbool-conversion -Wenum-conversion -Wno-float-conversion -Wno-non-literal-null-conversion -Wno-objc-literal-conversion -Wshorten-64-to-32 -Wpointer-sign -Wno-newline-eof -Wno-selector -Wno-strict-selector-match -Wundeclared-selector -Wno-deprecated-implementations -DB4I_VERSION\=13 -DNS_BLOCK_ASSERTIONS\=1 -DOBJC_OLD_DISPATCH_PROTOTYPES\=1 -isysroot /Applications/Xcode.app/Contents/Developer/Platforms/iPhoneOS.platform/Developer/SDKs/iPhoneOS15.5.sdk -fstrict-aliasing -Wprotocol -Wdeprecated-declarations -g -fvvisibility\=hidden -Wno-sign-conversion -Wno-infinite-recursion -Wno-comma -Wno-block-capture-autoreleasing -Wno-strict-prototypes -Wno-semicolon-before-method-body -iquote /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/B4i-Bridge-generated-files.hmap -I/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/B4i-Bridge-own-target-headers.hmap -I/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/B4i-Bridge-all-target-headers.hmap -iquote /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/B4i-Bridge-project-headers.hmap -I/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/Payload/include -I/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/DerivedSources-normal/armv7 -I/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/DerivedSources/armv7 -I/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/DerivedSources -F/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/Payload -F.../Libs -MMD -MT dependencies -MF /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/Objects-normal/armv7/main.d --serialize-diagnostics /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/Objects-normal/armv7/main.dia -c /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/B4iProject/main.m -o /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/Objects-normal/armv7/main.o clang: error: invalid iOS deployment version '-target armv7-apple-ios11.0', iOS 10 is the maximum deployment target for 32-bit targets [-Winvalid-ios-deployment-target]
```

```
WriteAuxiliaryFile /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/Objects-normal/armv7/B4i-Bridge.LinkFileList (in target 'B4iProject' from project 'B4iProject') cd /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id> write-file /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/Objects-normal/armv7/B4i-Bridge.LinkFileList
```

```
CompileC /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphoneos/B4iProject.build/Objects-normal/arm64/main.o /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/B4iProject/main.m normal arm64 objective-c com.apple.compilers.llvm.clang.1_0.compiler (in target 'B4iProject' from project 'B4iProject') cd /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id> export LANG\=en_US.UTF-8 /Applications/Xcode.app/Contents/Developer/Toolchains/XcodeDefault.xctoolchain/usr/bin/clang -x objective-c -target arm64-apple-ios11.0 -fmessage-length\=0 -fdiagnostics-show-note-include-stack -fmacro-backtrace-limit\=0 -
```

```
std\=gnu99 -fobjc-arc -fmodules -gmodules -fmodules-prune-interval\=86400 -fmodules-prune-after\=345600 -fbuild-session-
file\=/var/folders/wf/xqxb4gls28bdcm7j2gptggq40000gn/C/org.llvm.clang/ModuleCache.noindex/Session.modulevalidation -fmodules-validate-once-per-build-session -Wnon-modular-include-in-framework-module -Werror\=non-modular-include-in-framework-module -Wno-trigraphs -fpascal-strings -O0 -Wno-missing-field-initializers -Wno-missing-prototypes -Werror\=return-type -Wno-implicit-atomic-properties -Werror\=deprecated-objc-isa-usage -Wno-objc-interface-ivars -Werror\=objc-root-class -Wno-arc-repeated-use-of-weak -Wduplicate-method-match -Wno-missing-braces -Wparentheses -Wswitch -Wunused-function -Wno-unused-label -Wno-unused-parameter -Wunused-variable -Wunused-value -Wempty-body -Wuninitialized -Wconditional-uninitialized -Wno-unknown-pragmas -Wno-shadow -Wno-four-char-constants -Wno-conversion -Wconstant-conversion -Wint-conversion -Wbool-conversion -Wenum-conversion -Wno-float-conversion -Wno-non-literal-null-conversion -Wno-objc-literal-conversion -Wshorten-64-to-32 -Wpointer-sign -Wno-newline-eof -Wno-selector -Wno-strict-selector-match -Wundeclared-selector -Wno-deprecated-implementations -DB4I_VERSION\=13 -DNS_BLOCK_ASSERTIONS\=1 -
DOBJC_OLD_DISPATCH_PROTOTYPES\=1 -isysroot
/Applications/Xcode.app/Contents/Developer/Platforms/iPhoneOS.platform/Developer/SDKs/iPhoneOS15.5.sdk -
fstrict-aliasing -Wprotocol -Wdeprecated-declarations -g -fvisibility\=hidden -Wno-sign-conversion -Wno-infinite-recursion -Wno-comma -Wno-block-capture-autoreleasing -Wno-strict-prototypes -Wno-semicolon-before-method-body -iquote /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphonios/B4iProject.build/B4i-Bridge-generated-files.hmap -
I/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphonios/B4iProject.build/B4i-Bridge-own-target-headers.hmap -
I/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphonios/B4iProject.build/B4i-Bridge-all-target-headers.hmap -iquote
/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphonios/B4iProject.build/B4i-Bridge-project-headers.hmap -
I/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/Payload/include -
I/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphonios/B4iProject.build/DerivedSources-normal/arm64 -
I/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphonios/B4iProject.build/DerivedSources/arm64 -
I/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphonios/B4iProject.build/DerivedSources -F/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/Payload -F.../Libs -MMD -MT dependencies -MF
/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphonios/B4iProject.build/Objects-normal/arm64/main.d --serialize-diagnostics
/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphonios/B4iProject.build/Objects-normal/arm64/main.dia -c
/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/B4iProject/main.m -o
/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphonios/B4iProject.build/Objects-normal/arm64/main.o
/Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphonios/B4iProject.build/Objects-normal/arm64/main.dia:1:1: warning: Could not read serialized diagnostics file:
error("Failed to open diagnostics file") (in target 'B4iProject' from project 'B4iProject')
```

```
WriteAuxiliaryFile /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphonios/B4iProject.build/Objects-normal/arm64/B4i-Bridge.LinkFileList (in target 'B4iProject' from project 'B4iProject')
```

```
cd /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>
write-file /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphonios/B4iProject.build/Objects-normal/arm64/B4i-Bridge.LinkFileList
```

Error: 2023-01-05 09:38:05.635 xcodebuild[1710:15947] Requested but did not find extension point with identifier Xcode.IDEKit.ExtensionSentinelHostApplications for extension Xcode.DebuggerFoundation.AppExtensionHosts.watchOS of plug-in com.apple.dt.IDEWatchSupportCore
2023-01-05 09:38:05.636 xcodebuild[1710:15947] Requested but did not find extension point with identifier Xcode.IDEKit.ExtensionPointIdentifierToBundleIdentifier for extension Xcode.DebuggerFoundation.AppExtensionToBundleIdentifierMap.watchOS of plug-in com.apple.dt.IDEWatchSupportCore
** BUILD FAILED **

The following build commands failed:

CompileC /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/build/B4iProject.build/Release-iphonios/B4iProject.build/Objects-normal/armv7/main.o /Users/Claude/Documents/B4i_v7/BuildServer/UploadedProjects/<user id>/B4iProject/main.m normal armv7 objective-c com.apple.compilers.llvm.clang.1_0.compiler (in target 'B4iProject' from project 'B4iProject') (1 failure)